Formica® Collection Woods







The first and original

Formica Group invented high pressure laminates in 1913. Pioneers by definition, our iconic Formica® brand represents the quintessence of laminates.

Inspired by life

Laminates entered people's daily lives and made modernity dreams come true and accessible. Similarly, the demand for multifunctional, practical and durable designed surfaces is a constant inspiration for our Formica® Collections. At rest, at leisure, at work.

Evolving with the times

The way people live, work and play continuously changes. Formica Group keep pace with these evolving times through constant innovation, reflecting global trends and responding to ever changing needs and habits. The true original, still surfacing the world.



Reflecting the variety of nature. Our Formica® Woods collection displays 81 different wood grains and species, inspired by nature, authentically engineered.





F8576 Blond Cedar

F1004 Pale Ash



F8579 Belvedere Beech



F8580 Satin Oak



F1549 Tromso Maple



Natural Beech



F8585 Evergreen Oak



F6930 Natural Cane





F5374 Elegant Oak



F2884





Vosges Pear



F3699 Rattan Cane

F1139 Country Cherry



F1293 Redwood

F6149 Light Oak

F7921 Birch

F5486 Classic Walnut





F5883 Pecan Woodline



F5883 Pecan Woodline



F5372 Vintage Wood



F8853 Rural Oak



F8853 Rural Oak



F5887 Millennium Oak



F7603 Bio-Oak



F5370 Ivory Oak Cross



F1062 Smoked Oak



F8844 Aged Ash



F8583 Carpentry Oak



F8584 Quercus Beige



F1548 Mocha Cedar



F6926 F5884 Chestnut Woodline



F8847 Jarrah Legno



F8847 Jarrah Legno



F5483 Mocca Firwood

F9012 Ebony



F1614 Punga Punga Wood



F5487 Oiled Walnut



F8849 Natural Teak



F6932 Macchiato Walnut



F6932 Macchiato Walnut



F5150 American Walnut



F5373 Nocturne Wood



F6306 Wenge Strand



F6209 Prestige Walnut



F5489 Espresso Pear



F8589 Tula Oak F5872 Refined Walnut



F8581 Quercus Marron









F8586 Cetina Walnut

F8570 Flute Oak

F8587 Peruca Walnut







F8588 Nevada Oak

F8588 Nevada Oak

F8845 Bleached Legno



F5873 Ventura Oak

F8839 Ashen Ribbonwood





F8006 Avignon Walnut



F5477 Ebony Oak Cross



F8575 Dark Ash



F8006 Avignon Walnut



F0873 Ebony Ribbonwood



F1547 Noir Cedar

F8848 Blackened Legno



F8848 Blackened Legno



F6307 Burnt Strand





F5488 Smoky Brown Pear



F8851 Classic Wenge



F8851 Classic Wenge



F9484 Oxidized Beamwood



F6410 Weathered Beamwood



F8006 Avignon Walnut



F9480 Salvage Planked Elm



F6477 Seasoned Planked Elm



F8006 Avignon Walnut



F6372 White Washed Birchply



F8910 Raw Birchply



F8911 Green Slate Birchply




F9229 Dark Sky Birchply





F8552 Black Birchply

Colors with Wood finish



Colors with Wood finish





F7912 Storm

F2253 Diamond Black

١

F6477

Seasoned Planked Elm

Decor									
Code	Moods			Sheet size (mm)					
Reflectance Value NGS COS COS COS COS COS COS COS COS COS CO	VV (Jous		3050x1300	2150x950	2350x950	2350x1300	3660x1525	
1907 1908 1909 1910	Code	Décor	Reflectance	HGP	HGS	HGS	HGS		
1004	F0190	Finn Beech	40.8	MAT	MAT	MAT	MAT		
1016 Smoked Oak	F0873	Ebony Ribbonwood	9.1	MAT	MAT	MAT	MAT		
1079	F1004	Pale Ash	62.1	NAT	NAT	NAT	NAT		
1999 Country Cherry 21.0 MAT	F1062	Smoked Oak	31.7	NAT					
1293 Redwood	1079	Natural Oak	49.0	NAT	NAT	NAT	NAT		
1547 Noir Cedar 10.3	1139	Country Cherry	21.0	MAT					
1548 Mocha Cedar 28.8 MAT MAT MAT MAT MAT 1549 Tromso Maple 54.9 MAT	1293	Redwood	12.7	MAT	MAT	MAT	MAT		
1549 Tromso Maple	F1547	Noir Cedar	10.3	MAT	MAT	MAT	MAT	MAT	
1614 Punga Punga Wood 8.0 MAT MA	F1548	Mocha Cedar	28.8	MAT	MAT	MAT	MAT	MAT	
2726 Natural Beech 55.5 MAT	1549	Tromso Maple	54.9	MAT	MAT	MAT	MAT	MAT	
2884 Vosges Pear 25.2 MAT MAT MAT MAT 3699 Rattan Cane 23.7 NAT	1614	Punga Punga Wood	8.0	MAT	MAT	MAT	MAT		
Section	2726	Natural Beech	55.5	MAT	MAT	MAT	MAT		
3855 Clear Maple 52.2 MAT MAT MAT MAT 5147 Sombre Walnut 14.1 MAT	2884	Vosges Pear	25.2	MAT	MAT	MAT	MAT		
5147 Sombre Walnut 14.1 MAT 5150 American Walnut 14.6 MAT MAT<	3699	Rattan Cane	23.7	NAT					
5150 American Walnut 14.6 MAT MAT MAT MAT 5370 Ivory Oak Cross 43.8 MAT MAT MAT MAT MAT 5372 Vintage Wood 25.2 MAT MAT MAT MAT MAT 5373 Nocturne Wood 14.7 MAT MAT<	3855	Clear Maple	52.2	MAT	MAT	MAT	MAT		
Nory Oak Cross	5147	Sombre Walnut	14.1	MAT					
5372 Vintage Wood 25.2 MAT	5150	American Walnut	14.6	MAT				MAT	
14.7 MAT	5370	Ivory Oak Cross	43.8	MAT	MAT	MAT	MAT		
5374 Elegant Oak 35.0 MAT/NAT MAT/NAT MAT/NAT MAT/NAT MAT 5477 Ebony Oak Cross 11.4 MAT MAT MAT MAT MAT 5483 Mocca Firwood 32.0 LNW LNW LNW LNW LNW 5486 Classic Walnut 30.5 MAT	5372	Vintage Wood	25.2	MAT	MAT	MAT	MAT		
Ebony Oak Cross 11.4	5373	Nocturne Wood	14.7	MAT	MAT	MAT	MAT		
5483 Mocca Firwood 32.0 LNW LNW LNW LNW 5486 Classic Walnut 30.5 MAT MAT MAT MAT 5487 Oiled Walnut 18.6 MAT NAT NAT NAT NAT 5488 Smoky Brown Pear 14.8 NAT NAT<	5374	Elegant Oak	35.0	MAT/ NAT	MAT/ NAT	MAT/ NAT	MAT/ NAT	MAT	
5486 Classic Walnut 30.5 MAT MAT MAT MAT 5487 Oiled Walnut 18.6 MAT <td>5477</td> <td>Ebony Oak Cross</td> <td>11.4</td> <td>MAT</td> <td>MAT</td> <td>MAT</td> <td>MAT</td> <td></td>	5477	Ebony Oak Cross	11.4	MAT	MAT	MAT	MAT		
5487 Oiled Walnut 18.6 MAT 5488 Smoky Brown Pear 14.8 NAT NAT NAT NAT 5489 Espresso Pear 9.8 NAT NAT NAT NAT NAT 5782 Formal Walnut 16.1 NAT NAT <td>5483</td> <td>Mocca Firwood</td> <td>32.0</td> <td>LNW</td> <td>LNW</td> <td>LNW</td> <td>LNW</td> <td></td>	5483	Mocca Firwood	32.0	LNW	LNW	LNW	LNW		
5488 Smoky Brown Pear 14.8 NAT NAT NAT NAT 5489 Espresso Pear 9.8 NAT	5486	Classic Walnut	30.5	MAT	MAT	MAT	MAT		
Sample S	5487	Oiled Walnut	18.6	MAT					
5782 Formal Walnut 16.1 NAT NAT NAT NAT 5872 Refined Walnut 11.0 NAT NAT NAT NAT 5873 Ventura Oak 32.4 NAT NAT NAT NAT 5883 Pecan Woodline 27.4 MAT / NAT MAT MAT MAT 5884 Chestnut Woodline 13.9 MAT SAT PGN PGN PGN 6149 Light Oak 29.0 MAT MAT MAT MAT 6209 Prestige Walnut 8.8 MAT MAT MAT 6305 Limed Strand 66.7 MAT MAT MAT MAT 6307 Burnt Strand 15.1 MAT	F5488	Smoky Brown Pear	14.8	NAT	NAT	NAT	NAT		
5872 Refined Walnut 11.0 NAT NAT NAT NAT 58873 Ventura Oak 32.4 NAT NAT NAT NAT 5883 Pecan Woodline 27.4 MAT / NAT MAT MAT 5884 Chestnut Woodline 13.9 MAT 5887 Millennium Oak 26.7 PGN PGN PGN PGN 6149 Light Oak 29.0 MAT MAT MAT MAT 6209 Prestige Walnut 8.8 MAT MAT MAT 6305 Limed Strand 66.7 MAT MAT MAT 6307 Burnt Strand 15.1 MAT MAT MAT	5489	Espresso Pear	9.8	NAT					
5873 Ventura Oak 32.4 NAT NAT NAT NAT 5883 Pecan Woodline 27.4 MAT / NAT MAT MAT 5884 Chestnut Woodline 13.9 MAT 5887 Millennium Oak 26.7 PGN PGN PGN PGN 6149 Light Oak 29.0 MAT MAT MAT MAT 6209 Prestige Walnut 8.8 MAT MAT MAT MAT 6305 Limed Strand 66.7 MAT MAT MAT MAT 6307 Burnt Strand 15.1 MAT MAT MAT MAT MAT	5782	Formal Walnut	16.1	NAT	NAT	NAT	NAT		
5883 Pecan Woodline 27.4 MAT / NAT MAT MAT MAT 5884 Chestnut Woodline 13.9 MAT	5872	Refined Walnut	11.0	NAT	NAT	NAT	NAT		
5884 Chestnut Woodline 13.9 MAT 5887 Millennium Oak 26.7 PGN PGN PGN PGN 6149 Light Oak 29.0 MAT MAT MAT MAT 6209 Prestige Walnut 8.8 MAT MAT Company of the company	5873	Ventura Oak	32.4	NAT	NAT	NAT	NAT		
5887 Millennium Oak 26.7 PGN PGN PGN PGN 6149 Light Oak 29.0 MAT MAT MAT MAT 6209 Prestige Walnut 8.8 MAT 6305 Limed Strand 66.7 MAT 6306 Wenge Strand 11.0 MAT 6307 Burnt Strand 15.1 MAT	5883	Pecan Woodline	27.4	MAT / NAT	MAT	MAT	MAT		
6149 Light Oak 29.0 MAT MAT MAT MAT 6209 Prestige Walnut 8.8 MAT 6305 Limed Strand 66.7 MAT 6306 Wenge Strand 11.0 MAT 6307 Burnt Strand 15.1 MAT	5884	Chestnut Woodline	13.9	MAT					
6209 Prestige Walnut 8.8 MAT 6305 Limed Strand 66.7 MAT 6306 Wenge Strand 11.0 MAT 6307 Burnt Strand 15.1 MAT	5887	Millennium Oak	26.7	PGN	PGN	PGN	PGN		
6305 Limed Strand 66.7 MAT 6306 Wenge Strand 11.0 MAT 6307 Burnt Strand 15.1 MAT	6149	Light Oak	29.0	MAT	MAT	MAT	MAT		
6306 Wenge Strand 11.0 MAT 6307 Burnt Strand 15.1 MAT	6209	Prestige Walnut	8.8	MAT				,	
6307 Burnt Strand 15.1 MAT	F6305	Limed Strand	66.7	MAT					
	F6306	Wenge Strand	11.0	MAT					
6372 White Washed Birchply 69.4 NAT	F6307	Burnt Strand	15.1	MAT					
the state of the s	6372	White Washed Birchply	69.4	NAT					
6410 Weathered Beamwood 35.4 PGN	F6410	Weathered Beamwood	35.4	PGN					

PGN

24.9

F9484

Oxidized Beamwood

VA / I		Sheet size (mm)					
W	oods		3050x1300	2150x950	2350x950	2350x1300	3660x1525
Code	Décor	Light Reflectance Value	Grade: HGP CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGP CGS
F6926	Smoky Walnut Woodline	22.3	MAT				
F6930	Natural Cane	49.1	NAT	NAT	NAT	NAT	
F6932	Macchiato Walnut	15.8	MAT / NAT	MAT	MAT	MAT	MAT
F7555	Manitoba Maple	62.0	MAT				
F7603	Bio-Oak	43.0	MAT	MAT	MAT	MAT	
F7921	Birch	52.2	MAT	MAT	MAT	MAT	
F8006	Avignon Walnut	35.4	MAT/ NAT	MAT	MAT	MAT	
F8552	Black Birchply	8.8	NAT	NAT	NAT	NAT	
F8570	Flute Oak	42.3	NAT				
F8575	Dark Ash	11.2	NAT	NAT	NAT	NAT	
F8576	Blond Cedar	54.4	MAT	MAT	MAT	MAT	
F8577	Fjord Elm	60.5	NAT				
F8578	Sund Elm	47.4	NAT				
F8579	Belvedere Beech	50.6	NAT	NAT	NAT	NAT	-
F8580	Satin Oak	45.0	PGN				-
F8581	Quercus Marron	13.6	NAT				
F8583	Carpentry Oak	38.6	NAT	NAT	NAT	NAT	
F8584	Quercus Beige	37.0	NAT				
F8585	Evergreen Oak	31.3	LNW	LNW	LNW	LNW	
F8586	Cetina Walnut	27.9	MAT	MAT	MAT	MAT	
F8587	Peruca Walnut	42.6	MAT	MAT	MAT	MAT	
F8588	Nevada Oak	30.6	MAT/ PGN	MAT/PGN	MAT/ PGN	MAT/ PGN	MAT
F8589	Tula Oak	12.9	PGN	PGN	PGN	PGN	
F8839	Ashen Ribbonwood	43.0	MAT	MAT	MAT	MAT	
F8841	White Ash	69.7	MAT / NAT	MAT	MAT	MAT	MAT
F8843	Natural Ash	53.3	MAT / NAT	MAT	MAT	MAT	MAT
F8844	Aged Ash	38.9	NAT	NAT	NAT	NAT	
F8845	Bleached Legno	21.8	NAT				
F8847	Jarrah Legno	11.5	MAT / NAT	MAT	MAT	MAT	MAT
F8848	Blackened Legno	8.0	MAT / NAT	NAT	NAT	NAT	
F8849	Natural Teak	15.5	MAT				
F8851	Classic Wenge	9.4	LNW/ MAT	LNW	LNW	LNW	MAT
F8853	Rural Oak	32.9	PGN/ MAT	PGN	PGN	PGN	MAT
F8902	White Painted Wood	73.6	PGN				
F8910	Raw Birchply	48.5	NAT	NAT	NAT	NAT	
F8911	Green Slate Birchply	19.1	NAT				
F9012	Ebony	9.6	NAT	NAT	NAT	NAT	
F9229	Dark Sky Birchply	15.2	NAT				
F9480	Salvage Planked Elm	24.4	PGN				

PGN

17.5

Product grades, finishes and accreditations.

This Collection incorporates the following grades of decorative laminate each with its own performance characteristics. These grades conform to EN438.



Formica® Laminate

Sheets (thin) consisting of layers of wood-based fibers impregnated with thermosetting resins and a surface décor on one side

Grade: HPL/EN 438-3 HGP: Horizontal, General Purpose, Postforming high pressure decorative laminate

HPL/EN 438-3 HGS: Horizontal, General Purpose, Standard high pressure decorative laminate

Thickness: 0.7 mm (nominal), single sided

Additional flame retardant grades are available on request (please check for available options)



Formica® Compact

Sheets (thick) consisting of layers of wood-based fibers impregnated with thermosetting resins and surface décor on one or both sides

Grade: HPL/EN 438-4 CGS: Compact, General Purpose, Standard high pressure decorative laminate

Thickness: Single sided 2, 2.5, 3 mm / Double sided 4, 6, 8, 10, 12, 13, 16, 18, 20 mm

Additional flame retardant grades are available on request (please check for available options)

Product data sheets, including applicable fire rating, can be accessed on formica.info

Available surface finishes and recommended applications

			Recommended applications		
Surface Finish Description	Surface Finish Designation	Code	Horizontal (& Vertical), General purpose	Vertical and Light-duty horizontal	
Linewood	LNW	LW	•		
Matte 58	MAT	58	•		
Naturelle	NAT	NT		•	
Puregrain	PGN	35	•		

General

The information given in this brochure is correct at the time of publication. However, as we have a policy of constant product development and improvement, product specifications may change in the future. We recommend visiting formica.com as the most up-to-date source of information. Not all certifications stated are applicable or available for all Formica® products. Please check that the product you require is covered by a relevant certification or is suitable for your specific application, in advance of order placement.

Light Reflectance Value

Light Reflectance Value (LRV) is a value indicating the proportion of light reflected by a colour, when measured under standard daylight conditions. This guidance uses a scale of 0-100, where 0 = black and therefore total light absorption, whereas white = 100 and therefore total light reflection. The main purpose of this value is to indicate measured colour contrast between two surfaces, which need to be readily distinguishable within an environment (under static conditions, a difference of 30 units between two colours is considered adequate). LRVs stated may or may not be exact and are provided for guidance only.

Please note

For non-solid colour decors, where there are multiple colours across the design, the stated LRV is an average value taken from multiple measurements across the décor and must be used with caution. The individual colours in a pattern, woodgrain or stone design can differ more than 30 LRV units within the design itself.

Disclaimer

General

The information provided by Formica Group ("Formica") in this document is solely indicative. The information given in this brochure is correct at the time of publication. However, as we have a policy of constant product development and improvement, product specifications may change in the future. Visit www.formica.com as the most up-to-date source of information. Formica does not warrant that the information in this document is suitable for your specific purpose. Colour system notations represent the closest match available in the particular system. They may or may not be exact and are provided for guidance only. When exact colour information is required, please always refer to an actual laminate sample in the specified finish.

Liability

Formica is not liable (neither contractual nor non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of willful misconduct or gross negligence on the part of Formica and/or its management. The limitation of liability applies to all parties affiliated with Formica, including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

General Conditions

All sales of Formica® brand products are governed by the Formica General Terms and Conditions of Sale in effect at the time of sale and contained in every order acknowledgement and are available upon request.

Intellectual Property

All intellectual property rights and other rights regarding the content of this document (including logos, marks, text and photographs) are owned by Formica Group and/or its licensors.

Formica and the Formica Anvil Device are registered trademarks of The Diller Corporation.

© 2021 The Diller Corporation



CERTIFIED

ISO 14001 Environmental Management

CERTIFIED

ISO 45001 Occupational Health and Safety Management CERTIFIED









formica.com blackheathproducts.co.uk